AURO

Overview of our product range "Wooden floors"





Tipps for application

Wood and wooden materials can be treated with AURO products from the Furniture and Wooden Surfaces range in many ways. The manifold possibilities include oiling, waxing or a treatment with floor paint. The natural raw materials in our products make it easy to go green: Wood treated with Auro products, as well as residues of the products, can be composted in dried state without any harm to the environment. They just return into nature's cycle of materials.

The following pages show an overview of the products and their fields of application. Please consider that nature, structure and absorbency of the substrate can influence the actual coating, as can substances contained in the substrate. Before large-scale application of the products we therefore recommend a pretest on a small spot to see if the desired result is achieved. The single application steps and the respective products are not obligatory but dependent on the given on-site situation.

Please buy products with the same batch numbers. Colour tones may vary slightly from one batch to another because of the natural raw materials used in the products.

Please also consult out Technical Data Sheets for the products mentioned.

Our website www.auro.de/en always has the latest technical information, as well as tipps and tricks for product applications.

The product systems:

PurSolid: The colour tone of the surface gets slightly "fired" or "primed". The products contain neither organic, volatile solvents nor water. PurSolid products are extremely economic.

Aqua: The surface maintains a more natural, less "fired" appearance. These low-odour products are free from organic solvents.

Classic: The surface takes on a light honey tone. The products contain a mixture of essential oils as natural solvent and dry very quickly.

Surface treatments, depending on requirements and preferences:

Oils: Oils intensify the natural wood shade and thus enhance the colour of every type of wood. The light honey tone harmonises wonderfully with prominent knots and the natural grain of the wood. Oiling and waxing gives the floor a better look and, at the same time, produces an open-pored and hardwearing surface.

Waxes: Waxed wooden floors stand out for their splendid polish and pleasant surface feel. A wax application creates a thin protective layer which increases the durability of the flooring.

Paint: A coat of floor paint leaves the wood breathable and produces an easy-care protective layer.

Soaps and lyes: Wooden floors treated with lyes and soaps maintain their original light wood shade. Surfaces are ready to use immediately after drying but have to be re-treated regularly with soap. This treatment is recommended for floors which see little traffic.







Oiling and waxing wooden floors

Aqua

PurSolid

Power cleaner (421)

Floor degreaser and dewaxer (655)

Classic

Hard oil (126)

Hard oil, white (126-90)

Light honey tone

Basic cleaning

Hard primer (127)
Special primer (117)

Pre-treatment

Oiling

Waxing

Appearance

Care

Cleaning, care and maintenance

PurSolid hard oil (123)
One-off oil (109)
One-off oil, white (109-90)

Hard wax (171)

Wood wax (187)

Brighter appearance

Care wax (107)

Floor cleaner (427) Floor care (437) Intensified colour

Care oil (106)
Care wax (107)

Floor care emulsion (431)
Floor cleaner (427)
Floor care (437)

Wooden floors cleaning and care (661)

4



Oil-wax combinations

Painting wooden floors

PurSolid

Classic

Aqua

Basic cleaning

Power cleaner (421)
Floor degreaser and dewaxer (655)

Pre-treatment

Hard primer (127)
Special primer (117)

Oiling & waxing

One-off oil-wax (125)
2 in 1 oil-wax, PurSolid (128)

2 in 1 oil-wax, Classic (129)

Painting

Floor paint (267)

Appearance

Intensified colour

Light honey tone

Transparent coat of varnish

Care

Care wax (107)

Cleaning, care and maintenance

Floor care emulsion (431)

Floor cleaner (427)

Floor care (437)

Wooden floors cleaning and care (661)

Floor cleaner (427)



lye

soap

Appearance

Lyes and Soaps Softwood Hardwood **Pre-treatment:** Softwood lye (401) Hardwood lye (402) **Final-treatment:** Wood soap (403) Wood soap, white (404) **Brightened** Floors treated with lyes and have to be maintained or retouched with the same products!